

besile

THERE'S
SOMETHING
NEW



besile

ABOUT US

As a large-scale sanitary ware enterprise with technological innovation and design innovation as its core competitiveness, besile introduces world-class sanitary ware production equipment, fully utilizes international advanced innovative technology, starts with production equipment, raw materials and design technology, carefully selects and strictly check. At the same time, besile has also absorbed a group of experienced and pioneering technical and marketing management talents from the same industry to build a high-quality and high-level "production, design, and marketing team", and strive to improve product quality with technology and design. Based on the market with quality and brand. With the strong advantages of integrating R&D, manufacturing, design, sales and service, besile has formed a powerful manufacturer specializing in the production of complete series of medium and high-end bathroom products.

The besile production base has advanced production equipment, strong technical force and a high-quality and efficient team. We respect every detail from material selection, design, manufacturing to brand management, even engineering projects and community customers. In terms of quality, we pass strict inspection procedures to ensure that the products are flawless. Over the years, besile has successfully passed a number of well-known domestic and international certifications, which proves the company's commitment to perfect quality.



GLOBAL APPROVALS & STANDARDS

Our production has been awarded the most prestigious certification bodies in the world; with national and international certifications for products and processes, ceramic products not only meet the requirements, but often exceed the most stringent international standards. Our own water/air serious product testing on 100% WC & bidet production. Only products that meet the requirements are marked with our QC sticker: a seal of quality and performance!



OUR BRAND VALUE

The content of high technology isn't the final aim in designs, the real purpose is to be a transition from technology to concern. Why we design is to create more human products and concern every detail, and why we measure humanity is to concern customers.

QUALITY

We strive for an excellence that goes way beyond the surface of our products. In fact, from design to production and customer service we aim for nothing less than perfection at every stage.



DESIGN

An empathetic and intuitive design language offers us the opportunity to create products that feel as if they were designed just for you.




TECHNOLOGY

In our relentless search for technological innovation we work to integrate the latest digital advances, creating smart solutions that enhance our customers' enjoyment of water.



SUSTAINABILITY

Water is as essential as the air that we breathe, one more reason why we are so passionate about it. synchronous of height.



LATEST TECHNOLOGY AND MANUFACTURE

1.Raw Materials



2.Production Departments



3.Molding Workshop



4.Spray Glaze





5.Kiln: 1280℃ Hard Fired Ceramics

KILN




6.QC:Cover Testing
Air Testing
Cleaning & Water Teting
Customers Testing.

QUALITY CONTROL


RIMLESS FLUSH SYSTEM

The new Rimless flush system, New flushing systems come with visible edges and use only a small amount of water, leaving no space for dirt and bacteria to form. This makes it extremely quick and easy to clean. Designed with an innovative flushing system that facilitates cleaning any case installed in the same way as conventional toilet. Flushing and perfect cleaning are assured with just 4.5/3 litres of water.

Traditional



NEW



EASY TO CLEAN




No flush rim-nowhere for germs to hide. Without a flush rim, there is no hidden, hard-to-reach places where germs, bacteria, dirt and deposits can accumulate. Easy to clean. A clean and sparkling ceramic surface with one wipe.

Water injection way

- Back inlet
- Bottom an inlet

Drainage way


- P-trap
- S-trap (Need an adapter)



ADVANCED TECHNOLOGY

With the following advanced technologies, Bravat products guarantee your high quality bathing experience.

High Quality Ceramic Body & Easy Clean Glaze



Top Imported Valves




Green Technology of Water Saving



Full-pipe Glazing



Comfort Seat



Cover with Quick Release Mechanism



HEARTWARMING START

5 STEPS TO YOUR DREAM BATHROOM

Bathroom is a rest place, it provides kinds of services meanwhile also admits its heart. For different character and circumstances, the bathroom for every man show its differ. Regardless white or colorful, but for one rule is standard, that is abundant experiences bring up variable bathroom space.

Two-Piece Toilet


1



- Two-piece
- Self-clean glazing
- Rimless washdown dual flush system
- Pipe glazed with antibacterial
- Universal trap for S or P trap installation
- Back entry or bottom inlet cistern
- High efficiency 4.5 lpf or 3.0 lpf
- UF or PP soft close seat cover
- WDI water fitting
- Includes chrome plated dual top-mount flush actuator

Floor Standing Toilet


2



- Floor-Stand.
- Self-clean glazing.
- Rimless washdown dual flush system.
- Pipe glazed with antibacterial.
- Universal trap for S or P trap installation.
- High efficiency 4.5 lpf or 3.0 lpf.
- UF or PP soft close seat cover.

Floor Standing Bidet


3



- Floor-Stand.
- Self-clean glazing.
- Waterproof overflow.
- 1 foro per la rubinetteria.

Wall-hung Toilet

4



- Wall-hung.
- Self-clean glazing.
- Rimless washdown dual flush system.
- Pipe glazed with antibacterial.
- Univesal trap for P trap installation.
- High efficiency 4.5 lpf or 3.0 lpf.
- UF or PP soft close seat cover.

Wall-hung Bidet

5



- Wall-hung.
- Self-clean glazing.
- Waterproof overflow.
- 1 foro per la rubinetteria.

Angvo

The utilization of long arc emits a sense of pure luxury and comfort.






B-P3080

Two-Piece Toilet

- 620×370×820mm
- 24-7/16"×14-9/16"×32-5/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




B-PM3080B

Two-Piece Toilet

- 620×370×820mm
- 24-7/16"×14-9/16"×32-5/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989





C-P5880

Floor Standing Toilet

- 560×360×400mm
- 22-1/16"×14-3/16"×15-3/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-PM5880B

Floor Standing Toilet

- 560×360×400mm
- 21-1/16"×14-3/16"×15-3/4"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4080

Floor Standing Bidet


- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"



E-M4080B

Floor Standing Bidet

- 560×360×410mm
- 21-1/16"×14-3/16"×16-1/8"




D-P3680

Wall-hung Toilet

- 520×360×360mm
- 20-1/8"×14-3/16"×14-3/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-PM3680B

Wall-hung Toilet

- 520×360×360mm
- 20-1/8"×14-3/16"×14-3/16"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4680

Wall-hung Bidet


- 520×360×320mm
- 20-1/8"×14-3/16"×12-1/2"



E-M4680B

Wall-hung Bidet

- 520×360×320mm
- 20-1/8"×14-3/16"×12-1/2"



Henoly

A collection designed with a wide variety of short arcs that are vibrant, playful and modern.






B-P3081

Two-Piece Toilet

- 640×365×850mm
- 25-3/16"×14-3/8"×33-7/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




B-PM3081B

Two-Piece Toilet

- 640×365×850mm
- 25-3/16"×14-3/8"×33-7/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-P5881

Floor Standing Toilet

- 560×355×400mm
- 22-1/16"×14"×15-3/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-PM5881B

Floor Standing Toilet

- 560×355×400mm
- 22-1/16"×14"×15-3/4"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4081

Floor Standing Bidet


- 560×360×400mm
- 21-1/16"×14-3/16"×15-3/4"



E-M4081B

Floor Standing Bidet

- 560×360×400mm
- 21-1/16"×14-3/16"×15-3/4"




D-P3681

Wall-hung Toilet

- 520×360×355mm
- 20-1/8"×14-3/16"×14"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-PM3681B

Wall-hung Toilet

- 520×360×355mm
- 20-1/8"×14-3/16"×14"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4681

Wall-hung Bidet


- 510×360×300mm
- 20-1/16"×14-3/16"×11-13/16"



E-M4681B

Wall-hung Bidet

- 510×360×300mm
- 20-1/16"×14-3/16"×11-13/16"



A wide-angle photograph of a rugged mountain range. In the foreground, a dark, rocky slope descends from the left, with a narrow, winding road visible. The middle ground features a series of jagged, brownish-grey mountain peaks. The background is filled with more distant, misty mountain ranges under a cloudy sky. The text 'INSPIRATION SPACE' is overlaid in a large, white, sans-serif font on the left side of the image.

INSPIRATION SPACE

Yonata

Functionality, Aesthetics and Elegance is projected
from the full round rim.






B-P3082

Two-Piece Toilet

- 620×370×835mm
- 24-7/16"×14-9/16"×32-7/8"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




B-PM3082B

Two-Piece Toilet

- 620×370×835mm
- 24-7/16"×14-9/16"×32-7/8"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-P5882

Floor Standing Toilet

- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-PM5882B

Floor Standing Toilet

- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4082

Floor Standing Bidet


- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"



E-M4082B

Floor Standing Bidet

- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"




D-P3682

Wall-hung Toilet

- 530×360×350mm
- 20-7/8"×14-3/16"×13-3/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-PM3682B

Wall-hung Toilet

- 530×360×350mm
- 20-7/8"×14-3/16"×13-3/4"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4682

Wall-hung Bidet


- 485×360×325mm
- 19-1/8"×14-3/16"×12-13/16"



E-M4682B

Wall-hung Bidet

- 485×360×325mm
- 19-1/8"×14-3/16"×12-13/16"



Rozzby

The distinct curves of the Glossy-white and Matt-black body make the pieces ideal for use in contemporary settings, whilst the clean lines create a modern look.






B-P3083

Two-Piece Toilet

- 640×365×845mm
- 25-3/16"×14-3/8"×33-1/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




B-PM3083B

Two-Piece Toilet

- 640×365×845mm
- 25-3/16"×14-3/8"×33-1/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-P5883

Floor Standing Toilet

- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-PM5883B

Floor Standing Toilet

- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4083

Floor Standing Bidet


- 560×360×400mm
- 22-1/16"×14-3/16"×15-3/4"



E-M4083B

Floor Standing Bidet

- 560×360×400mm
- 22-1/16"×14-3/16"×15-3/4"




D-P3683

Wall-hung Toilet

- 520×340×355mm
- 20-1/8"×13-3/8"×14"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-PM3683B

Wall-hung Toilet

- 520×340×355mm
- 20-1/8"×13-3/8"×14"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4683

Wall-hung Bidet


- 510×360×300mm
- 20-1/16"×14-3/16"×11-13/16"



E-M4683B

Wall-hung Bidet

- 510×360×300mm
- 20-1/16"×14-3/16"×11-13/16"





BACK TO NATURE

Watello

Inspired by the natural simplicity, it creates an elegant and sustainable alternative to the classic bathroom environment.






B-P3084

Two-Piece Toilet

- 640×365×845mm
- 25-3/16"×14-3/8"×33-1/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




B-PM3084B

Two-Piece Toilet

- 640×365×845mm
- 25-3/16"×14-3/8"×33-1/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-P5884

Floor Standing Toilet

- 560×355×410mm
- 22-1/16"×14"×16-1/8"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-PM5884B

Floor Standing Toilet

- 560×355×410mm
- 22-1/16"×14"×16-1/8"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4084

Floor Standing Bidet


- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"



E-M4084B

Floor Standing Bidet

- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"




D-P3684

Wall-hung Toilet

- 520×340×355mm
- 20-1/8"×13-3/8"×14"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-PM3684B

Wall-hung Toilet

- 520×340×355mm
- 20-1/8"×13-3/8"×14"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4684

Wall-hung Bidet


- 510×360×300mm
- 20-1/16"×14-3/16"×11-13/16"



E-M4684B

Wall-hung Bidet

- 510×360×300mm
- 20-1/16"×14-3/16"×11-13/16"



Nolunt

With its soft curves and clean lines, it combines elegance with function, creating the perfect bathroom refuge.






B-P3085

Two-Piece Toilet

- 620×365×835mm
- 24-7/16"×14-3/8"×32-7/8"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




B-PM3085B

Two-Piece Toilet

- 620×365×835mm
- 24-7/16"×14-3/8"×32-7/8"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-P5885

Floor Standing Toilet

- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-PM5885B

Floor Standing Toilet

- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4085

Floor Standing Bidet


- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"



E-M4085B

Floor Standing Bidet

- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"




D-P3685

Wall-hung Toilet

- 530×360×350mm
- 20-7/8"×14-3/16"×13-3/4"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-PM3685B

Wall-hung Toilet

- 530×360×350mm
- 20-7/8"×14-3/16"×13-3/4"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4685

Wall-hung Bidet


- 485×360×325mm
- 19-1/8"×14-3/16"×12-13/16"



E-M4685B

Wall-hung Bidet

- 485×360×325mm
- 19-1/8"×14-3/16"×12-13/16"



A photograph of a kangaroo crossing a paved road in a rural setting. The kangaroo is silhouetted against the bright, sunlit road. The road is flanked by dry grass and shrubs. In the background, there are trees and a hillside. The text "FIND YOURSELF" is overlaid on the right side of the image in a large, white, sans-serif font.

FIND
YOURSELF

Bonicy

Combining the purity of white & back with the elegance of a ceramic finish, it is designed to delight both the eyes and senses.






B-P3076

Two-Piece Toilet

- 620×365×820mm
- 24-7/16"×14-3/8"×32-5/16"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



C-P5876

Floor Standing Toilet


- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"



E-4076

Floor Standing Bidet


- 545×360×410mm
- 21-7/16"×14-3/16"×16-1/8"



D-P3667

Wall-hung Toilet


- 480×365×360mm
- 18-7/8"×14-3/8"×14-3/16"



E-4667

Wall-hung Bidet

- 485×360×325mm
- 19-1/8"×14-3/16"×12-13/16"




B-PM3076B

Two-Piece Toilet

- 620×365×820mm
- 24-7/16"×14-3/8"×32-5/16"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



C-PM5876B

Floor Standing Toilet


- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"



E-M4076B

Floor Standing Bidet


- 545×360×410mm
- 21-7/16"×14-3/16"×16-1/8"



D-PM3667B

Wall-hung Toilet


- 480×365×360mm
- 18-7/8"×14-3/8"×14-3/16"



E-M4667B


Wall-hung Bidet

- 485×360×325mm
- 19-1/8"×14-3/16"×12-13/16"



Ornota


The straight lines makes it a cool and contemporary addition to any bathroom for both public and private use.






- 640×365×830mm
- 25-3/16"×14-3/8"×32-11/16"

- Watermark Number: WMK26778
- Wels Number: 1989



- 560×355×400mm
- 22-1/16"×14"×15-3/4"



- Watermark Number: WMK26778
- Wels Number: 1989



- 565×360×400mm
- 22-1/4"×14-3/16"×15-3/4"



- 520×340×355mm
- 20-1/8"×13-3/8"×14"




- 510×360×295mm
- 20-1/16"×14-3/16"×11-5/8"




- 640×365×830mm
- 25-3/16"×14-3/8"×32-11/16"

- Watermark Number: WMK26778
- Wels Number: 1989



- 560×355×400mm
- 22-1/16"×14"×15-3/4"


- Watermark Number: WMK26778
- Wels Number: 1989



- 565×360×400mm
- 22-1/4"×14-3/16"×15-3/4"




- 520×340×355mm
- 20-1/8"×13-3/8"×14"



E-M4651B

- 510×360×295mm
- 20-1/16"×14-3/16"×11-5/8"



ROMANTIC LIFE



Dozti

The sleek design with round lines enhance any bathroom to a higher level of taste.






B-P3079

Two-Piece Toilet

- 620×370×820mm
- 24-7/16"×14-9/16"×32-5/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




B-PM3079B

Two-Piece Toilet

- 620×370×820mm
- 24-7/16"×14-9/16"×32-5/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-P5879

Floor Standing Toilet

- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




C-PM5879B

Floor Standing Toilet

- 560×360×405mm
- 22-1/16"×14-3/16"×15-15/16"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4079

Floor Standing Bidet


- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"



E-M4079B

Floor Standing Bidet

- 560×360×410mm
- 22-1/16"×14-3/16"×16-1/8"




D-P3666

Wall-hung Toilet

- 485×370×365mm
- 19-1/8"×14-9/16"×14-3/8"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-PM3666B

Wall-hung Toilet

- 485×370×365mm
- 19-1/8"×14-9/16"×14-3/8"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



E-4666

Wall-hung Bidet


- 485×370×325mm
- 19-1/8"×14-9/16"×12-13/16"



E-M4666B

Wall-hung Bidet

- 485×370×325mm
- 19-1/8"×14-9/16"×12-13/16"






D-P3638

Wall-hung Toilet

- 570×350×330mm
- 22-7/16"×13-3/4"×13"

Certifications

- Watermark Number: WMK26778
- Wels Number: 1989




D-P3628

Wall-hung Toilet

- 550×360×380mm
- 21-5/8"×14-3/16"×14-15/16"

Certifications


- Watermark Number: WMK26778
- Wels Number: 1989



D-P3678

Wall-hung Toilet


- 540×370×350mm
- 21-1/4"×14-9/16"×13-3/4"



D-P3679

Wall-hung Toilet


- 530×360×350mm
- 20-7/8"×14-3/16"×13-3/4"



A-P1769

One-Piece Toilet


- 685×380×825mm
- 26-15/16"×14-15/16"×32-1/8"



A-P1770

One-Piece Toilet

- 665×360×805mm
- 26-3/16"×14-3/16"×31-11/16"



Accessories



A001



AC002



AC003



AC004



AC005



AC006



AC007



AC008



AC009



B3200



B3300-Y



B4910T



B5391



B5570



UP001



UP002



UP003



UP004



UP005



UP006



UP001S



UP002S



UP003S



UP004B



UP005B



UP006B



P-D8822




P-D8823




P-D8824


Installation steps of split toilet




1 Position the water inlet,waste,outlet and floor fixing bracket holes.




2 Align the pan back to the wall.



3 Connect pan spigot to pan collar.




4 Set up waste pipe and make sure the pipe is parallel to the floor.




5 Align and push fully assembled toilet back to the wall.




6 Install ceramic cistern.



7 position stop tap then connect rear water inlet valve to stop tap.



8 Connect the pan with foundation bolt.



9 Fix the pan by screwing the foundation bolt to the floor.